



12 South Center Street  
Bensenville, IL 60106

Office: 630.350.3404  
Fax: 630.350.3438  
[www.bensenville.il.us](http://www.bensenville.il.us)

**VILLAGE BOARD**

**President**  
Frank DeSimone

**Board of Trustees**  
Rosa Carmona  
Ann Franz  
Marie T. Frey  
McLane Lomax  
Nicholas Panicola Jr.  
Armando Perez

**Village Clerk**  
Nancy Dunn

**Village Manager**  
Evan K. Summers

January 26, 2023

Mr. & Mrs. Siriano  
308 South Church Road  
Bensenville, Illinois 60106

Re: January 25, 2023 FOIA Request

Dear Mr. & Mrs. Siriano:

I am pleased to help you with your January 25, 2023 Freedom of Information Act ("FOIA"). The Village of Bensenville received your request on January 26, 2023. You requested copies of the items indicated below:

*"I am requesting a copy of the permit we had for our address 308 S. Church Rd. for a new furnace and air condition in Sept. of 2021."*


After a search of Village files, the following information was found responsive to your request:

- 1) Village of Bensenville Permits No. 11397. (14 pgs.)

These are all the records found responsive to your request.

Do not hesitate to contact me if you have any questions or concerns in connection with this response.

Very truly yours,

  
Corey Williamsen  
Freedom of Information Officer  
Village of Bensenville

VILLAGE OF BENSENVILLE  
Department of Community and Economic Development  
125 Center St. Bensenville, IL 60106  
Phone: 630.350.3413 Fax: 630.350.3449

PERMIT APPLICATION

Application Number

11397

CHECK ONE:

☒ RESIDENTIAL

☐ MULTI-RESIDENTIAL

☐ NON-RESIDENTIAL

308 s Church Rd

SITE ADDRESS

UNIT No.

P.I.N.

ZONING DISTRICT

A/C Rep 1 13 seer 3 ton + Furnace Rep 1 801 EFF 901C  
BTU's

R-2  
\$ 9,559.00  
ESTIMATED COST

Name of Business on Site (non-residential):

GENERAL CONTRACTOR: four Seasons Heating + A/c 13859  
ADDRESS: 5701 W 73rd St CITY, STATE & ZIP: Berford Park, IL 60038  
PHONE: 708 496 4411 E-MAIL: permits@fshac.com

IF NECESSARY, ADDITIONAL LICENSED CONTRACTORS MUST COMPLETE & ATTACH LICENSE CERTIFICATE & BOND ON PAGE 2

OWNER AND APPLICANT INFORMATION

No error or omission in either the plans or application in having the work completed in any other manner than that it is compliance with the approved plans and the applicable codes and ordinances of the Village of Bensenville and the State of Illinois. All work shall be completed, inspected and approved as required and no occupancy or use of the space shall be permitted until approved in writing by the Department of Community and Economic Development. The applicant shall be responsible for all fees associated with the instant permit, including but limited to cancellation fees, plan review fees, and re-inspection fees. Understanding the preceding statements, I hereby agree to comply and declare that to the best of my knowledge and belief the information provided is true and accurate.

Lillian Valdez  
Applicant's Name (Print)

Applicant's Signature

Date

5701 W 73rd St  
Address

City, State & ZIP

Day Time Phone

permits@fshac.com  
Applicant's Email Address

Correspondence and escrow refunds can only be completed if the address of the applicant is kept current, which is applicant's responsibility. I hereby authorize the above listed applicant to complete the provisions of the applicable code and ordinances of this permit.

Nancy + Sal Siriano  
Property Owner's Name (Print)

Property Owner's Signature

Date

308 s Church Rd  
Address

City, State & ZIP

Day Time Phone

OFFICE USE ONLY

BUILDING INFORMATION

☐ New Construction

☐ Addition


☐ Alteration

☒ Accessory

Storm-water Permit Required

Yes ☐

NO ☒



PAID BY:

Milestone Dates:

8-25-21 Applied

8-26-21 Approved

8-26-21 Issued

8-26-22 Expires

Fees:

ESCROW \$ 105

APPLICATION \$ 50

PLAN REVIEW \$ 27

INSPECTIONS ( 2 x \$ 35 / \$ 49 ) \$ 70

OTHER \$

OTHER \$

APPROVED BY: LC

TOTAL FEES DUE \$ 252.00

## Louis Czerwin

---

**From:** Louis Czerwin  
**Sent:** Thursday, August 26, 2021 9:43 AM  
**To:** 'permits@fshac.com'  
**Subject:** 308 S CHURCH

Hello your permit is ready for pickup, total due is \$252.00 breakdown as followed:

Escrow-105.00  
Application-50.00  
Plan Review-27.00  
2 insp.@35-70.00

*Louie Czerwin*

Building and Code Compliance Inspector/ plan reviewer

Community & Economic Development Department



12 South Center Street, Bensenville, IL 60106

P: 630.594.1008 F: 630.350.3449

# VILLAGE OF BENSENVILLE

## Department of Community and Economic Development

---

### CONDITIONS OF THE PERMIT

**SITE LOCATION:** 308 SOUTH CHURCH ROAD  
**INTENDED USE:** R-2  
**APPLICATION NO:** 11397  
**APPLICATION TYPE:** SINGLE FAMILY ACC/ALT/REP  
**DESCRIPTION OF WORK:** R/R FURNACE AND AC

FILE COPY

- 
1. All work whether approved or not shall be in compliance with the applicable codes and ordinances.
  2. Contact the Community and Economic Development Department 24 hours in advance at 630-350-3413 for any necessary inspections.
  3. No work except what has been approved or required shall be permitted through the execution of this permit. No changes to the approved plans will be permitted without authorization by the Department of Community and Economic Development in writing.
  4. THESE PLANS & CONDITIONS MUST BE AT THE JOB SITE AND AVAILABLE FOR EACH INSPECTION. If the approved copy is not available, the inspection will not be conducted and the report shall be marked "Not Approved." DO NOT REMOVE THESE CONDITIONS FROM THE PLANS.
  5. SPECIAL CONDITIONS TO APPLICATION NUMBER 11397

#### PLAN EXAMINER REVIEW

All conditions are mandatory, changes on the approved plans/documents will not be permitted without written authorization from the Community & Economic Development Department. Failure to comply with the preceding conditions will invalidate the approval of this permit.

The completion of this project and the bond refund process is subject to final inspection and approval by the Village Inspector(s). NOTE: Items not identified during this review will be addressed.

All work must be inspected in accordance with the inspection list provided with this permit. Work concealed without the required inspection and approval must be exposed for inspection (at owner's/contractor's expense) as directed by the Village Inspector.

Joints and seams of ducts, air handlers and filter boxes shall be sealed.

Vent connector joints shall be joined with a minimum of three screws per connection

Work shall be in accordance with the 2015 International Residential Code, 2014 National Electrical Code, 2018 Illinois Energy Conservation Code 2015 International mechanical code and Village Ordinances

New condenser shall be installed at the same location as the existing.


Proper working clearances shall be provided at the disconnect.

It shall be the responsibility of the contractor to verify or install the proper HACR breaker per manufacturer's instructions

All work must be performed in a neat and workmanlike manner by persons who are skilled in their trades in full performance with the Village Code. All work must be inspected in accordance with the inspection lists provided with this permit. Owner/Contractor is responsible to expose any work concealed without the required inspection and approval.

The completion of this project and the bond refund process is subject to the final inspection and approval by the Village Inspector. NOTE: All debris and landscaping must be returned to original conditions prior to final inspection.


Having read and understood the preceding conditions, I hereby agree to comply with them.

  
A stylized handwritten signature in black ink, consisting of a large 'S' followed by a series of loops and a vertical line extending downwards.

SIGNATURE

  
The name 'Shell' written in a cursive, handwritten style in black ink.

NAME (PRINT)

  
The date '08/26/21' written in a handwritten style in black ink.

DATE

*For All The Right Reasons,*  
**Four Seasons**  
 HEATING • AIR CONDITIONING • PLUMBING • ELECTRIC

AMERICA'S LARGEST AND MOST AWARD WINNING HVAC/PLUMBING DEALER!

Call us 24 hours a day • 7 days a week!

**(773) 284-6161**

Main Office: 5701 W. 73rd St. Chicago, IL 60638  
 LICENSED, BONDED, AND INSURED • RELIABLE • DEPENDABLE • TRUSTED  
 Chicago Business License: 2204742 Chicago Home Repair: 1943293 Plumbing License: 4055-042791

FAMILY OWNED & OPERATED FOR OVER 45 YEARS!



**Angie's list**  
 Super Service Award  
 10x Winner



Customer's Name: <b>uhNANCY &amp; SAL SIRIANO</b>		Job Address: <b>308 S CHURCH RD BENSENVILLE, IL 60106-2342</b>	Date: <b>08/24/2021</b>
Customer's Billing Address: <b>308 S CHURCH RD</b>		City, State, Zip: <b>BENSENVILLE, IL 60106-2342</b>	Customer #: <b>769670</b>
Home Phone: <b>(630) 254-0381</b>	Mobile Phone:	Email(s): <b>SIRIANONANCY@GMAIL.COM</b>	Job #: <b>3285733</b>

**Option 1**

Lennox 13ACXN-036 "Single Stage Cooling" Air Conditioner

- 36,000 BTUs
- UP TO 13 SEER
- 12 Year Parts Guarantee
- 12 Year Labor Guarantee
- 12 Year Compressor Guarantee

Lennox ML180UH-090E48B "Single Stage Heating - ECM Blower" Gas Furnace

- 90,000 BTUs
- 80% AFUE
- 12 year Parts Guarantee
- 12 year Labor Guarantee
- 20 Year Heat Exchanger Guarantee

Discounts (-) \$850

**Equipment Subtotal \$8,120**

**Accessories**

- Programmable Stat - Digital  
Programable Thermostat 5-2 Day \$0

- Humidifier - Lennox Whole House Humidifier HCWB3-12 \$615

Discount (-) \$515

Subtotal \$100

**Subtotal \$100**

**Additional Services**

- Duct Cleaning - High Pressure HEPA Duct Cleaning \$699

**Subtotal \$699**

**Option 2 - Selected**

Lennox 13ACXN-036 "Single Stage Cooling" Air Conditioner

- 36,000 BTUs
- UP TO 13 SEER
- 12 Year Parts Guarantee
- 12 Year Labor Guarantee
- 12 Year Compressor Guarantee

Lennox EL280UH-090E48B "2 Stage Heating - ECM Blower" Gas Furnace

- 90,000 BTUs
- 80% AFUE
- 15 year Parts Guarantee
- 15 year Labor Guarantee
- 20 Year Heat Exchanger Guarantee

Discounts (-) \$950

**Equipment Subtotal \$8,760**

**Accessories - Selected**

- Programmable Stat - Digital  
Programable Thermostat 5-2 Day \$0

- Humidifier - Lennox Whole House Humidifier HCWB3-12 \$615

Discount (-) \$515

Subtotal \$100

**Subtotal \$100**

**Additional Services - Selected**

- Duct Cleaning - High Pressure HEPA Duct Cleaning \$699

**Subtotal \$699**





**Install Materials**

- ✓ Clean Work Area
- ✓ Haul Away and Responsibly Recycle Existing Equipment
- ✓ AC Refrigerant Lineset Flush and Conditioning
- ✓ New Waterproof 60 AMP AC Disconnect Box
- ✓ New AC Heavy Duty Electrical Whip
- ✓ New Hard Pipe PVC AC Drainage
- ✓ New AC Installed on New Brackets
- ✓ New AC Breaker at Main Panel as Needed per Manufacturer Specs
- ✓ Use Existing Return for New Furnace
- ✓ Use Existing AC Refrigerant Lines and Connections
- ✓ New Humidifier Drain Line
- ✓ New Gas Furnace Flu Pipe Venting
- ✓ New Flu Venting for Existing HWT as needed.
- ✓ Custom Sheet Metal Plenum Transition
- ✓ New Furnace Hard Pipe Gas connection, New Valve and New Sediment Trap
- ✓ Elevate Furnace on Blocks
- ✓ New Water Boiler Piping and Connections as Needed (within 5 ft of unit)
- ✓ permit as needed

**Option 1 Total Investment**

Total: \$8,919  
 Estimated Payment: \$117.73  
 Payment: /mo 120 months 9.99% with monthly payments

**Install Materials - Selected**

- ✓ Clean Work Area
- ✓ Haul Away and Responsibly Recycle Existing Equipment
- ✓ AC Refrigerant Lineset Flush and Conditioning
- ✓ New Waterproof 60 AMP AC Disconnect Box
- ✓ New AC Heavy Duty Electrical Whip
- ✓ New Hard Pipe PVC AC Drainage
- ✓ New AC Installed on New Brackets
- ✓ New AC Breaker at Main Panel as Needed per Manufacturer Specs
- ✓ Use Existing Return for New Furnace
- ✓ Use Existing AC Refrigerant Lines and Connections
- ✓ New Humidifier Drain Line
- ✓ New Gas Furnace Flu Pipe Venting
- ✓ New Flu Venting for Existing HWT as needed.
- ✓ Custom Sheet Metal Plenum Transition
- ✓ New Furnace Hard Pipe Gas connection, New Valve and New Sediment Trap
- ✓ Elevate Furnace on Blocks
- ✓ New Water Boiler Piping and Connections as Needed (within 5 ft of unit)
- ✓ permit as needed

**Option 2 Total Investment**


Total: \$9,559  
 Estimated Payment: \$126.18  
 Payment: /mo 120 months 9.99% with monthly payments

**Remaining Balance Payment Terms**

**Option 2:** Estimated payment of \$126.18 /mo 120 months 9.99% with monthly payments (approval required).

[✓] Finance

Customer Acceptance:



Date: 8/24/2021 4:36 PM

Company Approval:



Date: 8/24/2021 4:35 PM

Company Representative: Steven Kritz, skritz@fshac.com, 708-625-1295

**Install Date: 09/06/2021**

**Notes**

**THE CHALLENGE.** If we don't offer the best value, Four Seasons will pay you \$500.\*

**FACTORY TRAINED & EPA CERTIFIED.** Four Seasons' installers are factory-trained, EPA Certified Technicians. Four Seasons does not employ any sub-contractors.\*

**FOUR SEASONS TRUE 24/7/365 SERVICE.** Our Promise to you, when you purchase a new system from Four Seasons you will never be charged for after hours service, for night, weekend, or holiday service... you're covered!\*

**QUALITY ASSURANCE PROGRAM.** Two year 100% satisfaction guarantee or your money back.\*

**24 HOUR HVAC SERVICE GUARANTEE.** If your system ever breaks down we will have your system repaired within 24 hrs. or we'll pay to put you and your family in a hotel.\*

**FOUR SEASONS PEACE OF MIND.** If your furnace heat exchanger fails within 20 yrs. of the installation date, we will install a brand new furnace... free of charge!\*

\*See store for details

**Terms & Conditions**

The prices, specifications and conditions set forth on this contract and the terms and conditions are satisfactory and are hereby accepted. You, the seller are authorized to do the work as specified. Payment will be made as outlined per the contract. Customer agrees to Company's standard Terms and Conditions.






## PRODUCT SPECIFICATIONS

## AIR CONDITIONERS

### 13ACX MERIT® Series R-410A

Bulletin No. 210739  
November 2017  
Supersedes August 2017




## MERIT® SERIES

**SEER up to 15.50**  
**1.5 to 5 Tons**

**Cooling Capacity - 17,500 to 59,000 Btuh**

## MODEL NUMBER IDENTIFICATION



## SPECIFICATIONS

General Data	Model No.	Northern Region	13ACXN018	13ACXN024	13ACXN030	13ACXN036	13ACXN042	13ACXN048	13ACXN060
		Nominal Tonnage	1.5	2	2.5	3	3.5	4	5
Connections (sweat)		Liquid line o.d. - in.	3/8	3/8	3/8	3/8	3/8	3/8	3/8
		Suction line o.d. - in.	5/8	5/8	3/4	3/4	3/4	7/8	7/8
1 Refrigerant (R-410A) furnished			4 lbs. 1 oz.	3 lbs. 14 oz.	5 lbs. 2 oz.	5 lbs. 4 oz.	6 lbs. 8 oz.	7 lbs. 12 oz.	9 lbs. 0 oz.
RFCIV Metering Orifice Size Furnished			0.051	0.057	0.065	0.072	0.076	0.082	0.090
Outdoor Coil	Net face area sq. ft.	Outer coil	11.33	11.33	13.22	13.22	16.33	18.67	16.33
		Inner coil	---	---	---	---	---	---	15.71
	Tube diameter - in.		5/16	5/16	5/16	5/16	5/16	5/16	5/16
	Number of rows		1	1	1	1	1	1	2
Outdoor Fan	Fins per inch		26	26	26	26	26	26	22
	Diameter - In.		18	18	18	18	22	22	22
	Number of blades		3	3	4	4	4	4	4
	Motor hp		1/10	1/10	1/5	1/5	1/4	1/4	1/4
	Cfm		2350	2350	2400	2400	3500	3670	3600
	Rpm		1010	1010	1090	1090	825	835	830
Watts			165	165	185	185	300	295	285
Shipping Data - lbs. 1 package			138	138	144	151	188	195	218

## ELECTRICAL DATA

Line voltage data - 60 hz - 1ph			208/230V	208/230V	208/230V	208/230V	208/230V	208/230V	208/230V
<sup>2</sup> Maximum overcurrent protection (amps)			20	25	25	35	45	50	60
<sup>3</sup> Minimum circuit ampacity			12.4	14.7	17.1	22.0	28.1	31.9	34.6
Compressor	Rated load amps		9.4	11.2	12.8	16.7	21.2	24.2	26.3
	Locked rotor amps		56.6	60.8	64	70	90	100	125
	Power factor		0.98	0.98	0.98	0.99	0.99	0.99	0.99
Condenser	Full load amps		0.7	0.7	1.1	1.1	1.7	1.7	1.7
Fan Motor	Locked rotor amps		1.3	1.3	2.0	2.0	3.2	3.2	3.2

## OPTIONAL ACCESSORIES - ORDER SEPARATELY

Compressor Crankcase Heater	93M04		*	*	*	*			
		93M05					*	*	*
Compressor Hard Start Kit	10J42	Copeland	*	*	*	*	*	*	*
		LG	88M91	*	*	*	*	*	*
Compressor Low Ambient Cut-Off Switch	45F08		*	*	*	*	*	*	*
Compressor Sound Cover	27W55		*	*	*	*			
	27W56						*	*	*
Compressor Time-Off Control	47J27		*	*	*	*	*	*	*
Freezestat	3/8 in. tubing	93G35	*	*	*	*	*	*	*
	5/8 in. tubing	50A93	*	*	*	*	*	*	*
Indoor Blower Off Delay Relay	58M81		*	*	*	*	*	*	*
Loss of Charge Switch Kit	84M23		*	*	*	*	*	*	*
<sup>4</sup> Low Ambient Kit (Fan Cycling)	34M72		*	*	*	*	*	*	*
Refrigerant Line Sets	L15-26-20, L15-26-25,		*	*					
	L15-26-35, L15-26-50								
	L15-41-20, L15-41-30,				*	*	*		
	L15-41-40, L15-41-50								
	L15-65-30, L15-65-40,							*	*
	L15-65-50								
Unit Stand-Off Kit	94J45		*	*	*	*	*	*	*

NOTE - Extremes of operating range are plus 10% and minus 5% of line voltage.

<sup>1</sup> Refrigerant charge sufficient for 15 ft. length of refrigerant lines. For longer line set requirements see the Installation Instructions for information about line set length and additional refrigerant charge required.

<sup>2</sup> HACR type circuit breaker or fuse.

<sup>3</sup> Refer to National or Canadian Electrical Code manual to determine wire, fuse and disconnect size requirements.

<sup>4</sup> Crankcase Heater and Freezestat are recommended with Low Ambient Kit.



## PRODUCT CATALOG

**NOTE - Not Available In Canada**

### FEATURES

#### Heating System

Lennox Duralok™ Aluminized Steel Heat Exchanger Assembly  
Aluminized Steel Inshot Burners  
Two-Stage Gas Control Valve with 100% Safety Shutoff  
Flame Rollout Switches  
SureLight® Hot Surface Ignitor  
Limit Controls

#### Controls

SureLight® integrated Two-Stage Furnace Control  
24 Volt Transformer  
Field Wiring Make-up Box

#### Power Saver™ Constant Torque Blower Motor

High efficiency, multi-speed ECM (Electronically Commutated Motor)  
Cabinet

Upflow/Horizontal applications  
Pre-painted cabinet finish.

Fully insulated cabinet with foil-faced insulation on sides and back of heating compartment and mat-faced insulation in blower compartment.

#### Low Leakage Cabinet

Less than 2%.

#### Coil Match-up

All furnaces match Lennox cased upflow indoor coils and horizontal indoor coils with same letter designation (A, B, C, D) as in the furnace model number.



### LIMITED WARRANTY

Heat Exchanger - Twenty-years.  
All other covered components - five years.

Refer to Lennox Equipment Limited Warranty certificate included with equipment for details.

Furnace Width	"A"	"B"	"C"
A Dimension	14-1/2 (368)	17-1/2 (446)	21 (533)
B Dimension	13-3/8 (340)	16-3/8 (416)	19-7/8 (454)
Bottom Width return	13 (330)	18 (406)	19-1/2 (495)
Depth	23-1/2 (597)	23-1/2 (597)	23-1/2 (597)

## GAS FURNACES EL280UHE ELITE® SERIES

Upflow/Horizontal - Two-Stage Heat - High Efficiency Blower Motor  
AFUE - 80%

Input - 44,000 to 110,000 Btuh

Page 39

April 2019

Supersedes February 2019

### ACCESSORIES

See page 43

#### Cabinet

- Horizontal Suspension Kit
- Return Air Base

#### Controls

- Thermostat
- Twinning Kit


#### Filter Kits

- Air Filter and Rack Kits

#### Gas Heating

- Gas Conversion Kits
- High Altitude Orifice Kit (natural gas only)
- High Altitude Pressure Switch Kit
- Vent Adaptor (Upflow Applications Only)

### DIMENSIONS



NOTE - Due to Lennox' ongoing commitment to quality, Specifications, Ratings and Dimensions subject to change without notice and without incurring liability. Improper installation, adjustment, alteration, service or maintenance can cause property damage or personal injury. Installation and service must be performed by a qualified installer and servicing agency.

© 2019 Lennox Industries Inc.

**SPECIFICATIONS**

Gas Heating Performance		Model No.	EL280UH045E36A	EL280UH070E36A	EL280UH090E36B	EL280UH090E48B
		Model No. - Low Nox	---	EL280UH070XE36A	---	EL280UH090XE48B
AHRI Ref. No.	Non "X" Models	N/A	N/A	N/A	N/A	N/A
	"X" Models	N/A	N/A	N/A	N/A	N/A
		AFUE	80%	80%	80%	80%
High Fire	Input - Btuh	44,000	66,000	88,000	88,000	88,000
	Output - Btuh	35,000	53,000	70,000	69,000	69,000
		Temperature rise range - °F	30 - 60	30 - 60	35 - 65	30 - 60
Gas Manifold Pres. (in. w.g.) Nat. Gas/LPG		3.5 / 10.0	3.5 / 10.0	3.5 / 10.0	3.5 / 10.0	3.5 / 10.0
Low Fire	Input - Btuh	29,000	43,000	57,000	57,000	57,000
	Output - Btuh	23,000	35,000	46,000	46,000	46,000
		Temperature rise range - °F	20 - 50	20 - 50	25 - 55	20 - 50
Gas Manifold Press. (in. w.g.) Nat. Gas/LPG		1.7 / 4.9	1.7 / 4.9	1.7 / 4.9	1.7 / 4.9	1.7 / 4.9
High static - in. w.g.	Heating	0.5	0.5	0.5	0.5	0.5
	Cooling	0.5	0.5	0.5	0.5	0.5
Connections in.	Flue connection - in. round	4	4	4	4	4
	Gas pipe size IPS	1/2	1/2	1/2	1/2	1/2
Indoor Blower	Wheel nominal diameter x width - in.	10 x 8	10 x 8	10 x 9	10 x 10	10 x 10
	Motor output - hp	1/2	1/2	1/2	3/4	3/4
		Tons of add-on cooling	1.5 - 3.5	2 - 3.5	2 - 3.5	3 - 4
		Air Volume Range - cfm	250 - 1500	350 - 1375	350 - 1600	765 - 1800
Electrical Data		Voltage	120 volts - 60 hertz - 1 phase			
		Blower motor full load amps	6.1	6.1	6.1	8.2
		Maximum overcurrent protection	15	15	15	15
Shipping Data		lbs. - 1 package	113	126	141	144

**SPECIFICATIONS**

Gas Heating Performance		Model No.	EL280UH110E48C	EL280UH110E60C
		Model No. - Low Nox	---	EL280UH110XE60C
AHRI Ref. No.	Non "X" Models	N/A	N/A	N/A
	"X" Models	N/A	N/A	N/A
		AFUE	80%	80%
High Fire	Input - Btuh	110,000	110,000	110,000
	Output - Btuh	86,000	87,000	87,000
		Temperature rise range - °F	35 - 65	30 - 60
Gas Manifold Pres. (in. w.g.) Nat. Gas/LPG		3.5 / 10.0	3.5 / 10.0	3.5 / 10.0
Low Fire	Input - Btuh	72,000	72,000	72,000
	Output - Btuh	58,000	58,000	58,000
		Temperature rise range - °F	25 - 55	20 - 50
Gas Manifold Pres. (in. w.g.) Nat. Gas/LPG		1.7 / 4.9	1.7 / 4.9	1.7 / 4.9
High static - in. w.g.	Heating	0.5	0.5	0.5
	Cooling	0.5	0.5	0.5
Connections in.	Flue connection - in. round	4	4	4
	Gas pipe size IPS	1/2	1/2	1/2
Indoor Blower	Wheel nominal diameter x width - in.	10 x 10	11-1/2 x 10	11-1/2 x 10
	Motor output - hp	3/4	1	1
		Tons of add-on cooling	3 - 4	4 - 5
		Air Volume Range - cfm	865 - 1780	1100 - 2200
Electrical Data		Voltage	120 volts - 60 hertz - 1 phase	
		Blower motor full load amps	8.2	10
		Maximum overcurrent protection	15	15
Shipping Data		lbs. - 1 package	161	169

NOTE - Filters and provisions for mounting are not furnished and must be field provided.

<sup>1</sup> Annual Fuel Utilization Efficiency based on DOE test procedures and according to FTC labeling regulations. Isolated combustion system rating for non-weatherized furnaces.<sup>2</sup> Flue connection on the unit is 4 in. diameter. Most applications will require

5 in. venting and field supplied 4 x 5 in. adaptor. See Venting

Tables in the Installation Instructions for detailed information.



NOTE - Due to Lennox' ongoing commitment to quality, Specifications, Ratings and Dimensions subject to change without notice and without incurring liability. Improper installation, adjustment, alteration, service or maintenance can cause property damage or personal injury. Installation and service must be performed by a qualified installer and servicing agency.

1/19/2022



## ESCROW BOND REFUND FORM

Application number:11397

Project Address: 308 CHURCH

Project: SINGLE FAMILY ACC/ALT/REP

Application comment: CONTRACTOR PAID BOND

Application comment 2: R/R FURNACE & A/C

Escrow bond account balance to be paid to:

Customer ID: 13859

FOUR SEASON HEATING & AIR CONDITIONING

5701 W. 73RD STREET

BEDFORD PARK, IL 60638

Payee application role: GC

Balance in Escrow account to be refunded:\$105.00

Approved by:

Scott R. Vigen

Director of Community & Economic Development

01-19-22

Date

Approved by:

\_\_\_\_\_

Office of the Village Manager

\_\_\_\_\_

Date

February 8, 2022 - WARRANT 22/03 - CHECK # 173698

Developed by

Baeco  
Group

**Village of Bensenville**  
12 S. Center Street  
Bensenville, IL 60106  
630.350.3413

# INSPECTION REPORT

SITE ADDRESS: 308 S church INSPECTION DATE: 1-11-2022 (AM) (PM)

SITE CONTACT: \_\_\_\_\_ PERMIT NO.: 11397

INSPECTOR ASSIGNED L Czerwin INSPECTION ID NO.: 87169

INSPECTION TYPE: Final mechanical

NOTES: \_\_\_\_\_

---

---

---

---

10. *Journal of the American Medical Association*, 2000; 284: 1012-1016.

\_\_\_\_\_

APPROVED NOT APPROVED

THIS IS NOT A CERTIFICATE OF OCCUPANCY

YOU ARE HEREBY NOTIFIED TO REMEDY THE CONDITIONS AS STATED ABOVE WITHIN \_\_\_\_\_ DAYS FROM THE DATE OF THIS ORDER. APPEAL FROM THIS ORDER MAY BE MADE WITHIN 10 DAYS FROM THE DATE OF SERVICE. DIRECT SUCH APPEALS TO THE DIRECTOR OF COMMUNITY AND ECONOMIC DEVELOPMENT BY TELEPHONE, 630.350.3413 OR BY WRITING, 12 S. CENTER STREET, BENSENVILLE, IL 60106.

RECEIVED BY: \_\_\_\_\_ INSPECTOR: I SES

INSPECTOR: 2 SCS



